

Rental Agreement

By this agreement the owner lets and the borrower takes the equipment on hire in accordance with the attached terms and conditions.



Delta Buggy size (please refer to website for size guidance:)	
Medium (Delta Buggy M2 Navy)	
Large (Delta Buggy L1 Navy)	

Additional items hired				
	Checking Out		Checking In	
	Comments	Initials	Comments	Initials
Delta Frame Side Pad Set Navy				
Delta Strap Pad Set Navy (Size M2 or L1/L2)				
Spare Canvas with Pads & Straps - Black/Orange (Size M2 or L1/L2)				
Delta Sun Canopy Black (Size M2 or L1/L2)				
Delta Rain Cover (Size M2 or L1/L2)				
M2/L/XL Headrest Cushion for Delta Buggy				
M2/L1 Seat Infil Cushion for Delta Buggy				
200mm Lateral Rolls for Delta Buggy				
Pommel for Delta Buggy (Size M2 or L/XL)				





Seat length extender for Delta Buggy (Size M2 or L/XL)		
Delta Buggy Travel Bag (Medium or Large)		
Beach Wheels for Delta Buggy		
Delta Trail-M1/M2 : Cycle Trailer Conversion Kit (Size M1/M2 or L1/L2)		

	Checking Out		Checking In	Checking In	
	Comments	Initials	Comments	Initials	
Anti-tipper function and					
secure locking into place;					
when deployed the end of					
anti-tipper should be					
approx. 22mm from the					
ground.					
Security of the quick					
release wheel					
attachments					
Wear to folding joints. If					
there is excessive					
movement in the joints,					
take out a stainless steel					
screw to inspect the					
polymer bearing that					
protects the aluminium					
joint from the fixing screw.					
The bearings can be					
replaced if necessary.					





Wear to the handle adjusters clutch mechanism. When the handle does not lock securely the adjusters should be replaced.		
That all screws and fixings		
are secure; folding joint fixings should not be over tightened.		
Condition and secure attachment of the foam that covers the handle to backrest frame joint.		
Tyre wear and inflation pressure. Standard tyres should be inflated to 20 and 30 p.s.i. (1.4 and 2 bar). Beach wheel tyres should be inflated to between 10 and 15 p.s.i. (0.7 and 1 bar approx).		
Secure attachment of footrest; adjust height if required.		
Check condition of harness and foot-straps; replace if necessary.		
Any other scuff marks / damage		
Instruction manual included		





Terms and Conditions are included		
First Aid kit included		
Accident and Fault Reporting Form included		
Lock included		
Slime and Pump included		



Little Hiccups is a small registered charity and any donation you may wish to make from your deposit would be gratefully received. A donations help us to continue to provide support for children with additional needs. If you would like to donate your deposit, or part of it, please specify below. Please leave blank if not applicable.				
Amount (£)				

I agree that I am happy to borrow out the Delta All Terrain Buggy and that I have read the Terms and Conditions, the Instruction Manual and have reviewed the condition of the Delta with the Little Hiccups Agent. I can confirm that I have also been shown how to use the Delta safely and will conform to the safe system of work.

Signed out on behalf of Little Hiccups	
Signed out by/on behalf of the borrower	
Date:	
Signed in on behalf of Little Hiccups	
Signed in by/on behalf of the borrower	
Date:	

All information and photos will be stored according to the Data Protection Act 1998 and the GDPR Act 2018. Information collected will be used for Little Hiccups purposes only. We will not share your information with any other companies or organisations.

Please contact us if you have any questions about our privacy notice or information we hold about you. You can contact us by email at info@littlehiccups.co.uk

You can see the full privacy notice on our website at http://www.littlehiccups.co.uk/privacy.htm

